

**Updated 1/20/10**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Combitherm</b>	<b>ML7-14</b>	<b>Gas</b>	<b>54%</b>	<b>15,700</b>	<b>19.0</b>	<b>6-10ESG 7-14GASML 7-14ESG 7-14ML 10-10ESG 10-20ESG 12-18ESG 20-20ESG</b>	<b>\$750</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BCX-14G</b>	<b>Gas</b>	<b>40%</b>	<b>35,666</b>	<b>1.5</b>	-	<b>\$750</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BX-14G</b>	<b>Gas</b>	<b>51%</b>	<b>13,480</b>	<b>0.5</b>	-	<b>\$750</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm with Generator</b>	<b>OGB-6.20</b>	<b>Gas</b>	<b>67%</b>	<b>4,562</b>	<b>18.3</b>	<b>OGB-6.10 OGB-10.10 OGB-10.20 OGB-12.20 OGB-20.10 OGB-20.20</b>	<b>\$750</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm Boilerless</b>	<b>OGS-6.20</b>	<b>Gas</b>	<b>49%</b>	<b>10,530</b>	<b>18.3</b>	<b>OGS-6.10 OGS-10.10 OGS-10.20 OGS-12.20 OGS-20.10 OGS-20.20</b>	<b>\$750</b>

Note: Data based on applying ASTM F1639-revised July 2008  
N/A = Data Not Available

**Updated 1/20/10**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Electrolux</b> (professional.electroluxusa.com)	<b>Air-O-Steam</b>	<b>O 260148</b>	<b>Gas</b>	<b>45%</b>	<b>16,456</b>	<b>26.6</b>	<b>O 260149 O 260150 O 260151 O 260152</b>	<b>\$750</b>
<b>Eloma</b> (www.eloma.com)	<b>Genius</b>	<b>T 611</b>	<b>Gas</b>	<b>50%</b>	<b>N/A</b>	<b>0.8</b>	<b>T 1011 T 12-21 T 2011 T 2022</b>	<b>\$750</b>
<b>Henny Penny</b> (www.hennypenny.com)	<b>ClassicCombi</b>	<b>GCC-61</b>	<b>Gas</b>	<b>56%</b>	<b>10,176</b>	<b>4.5</b>	<b>GCC-11 GCC-12 GCC-21 GCC-22 GCC-62</b>	<b>\$750</b>
<b>Henny Penny</b> (www.hennypenny.com)	<b>SmartCombi</b>	<b>GSC-61</b>	<b>Gas</b>	<b>53%</b>	<b>12,285</b>	<b>5.7</b>	<b>GSC-11 GSC-12 GSC-21 GSC-22 GSC-62</b>	<b>\$750</b>
<b>Lainox</b> (www.lainox.com)	<b>The Cube</b>	<b>MG 102</b>	<b>Gas</b>	<b>45%</b>	<b>80,813</b>	<b>17.5</b>	<b>MG 061 MG 101 MG 201 MG 202</b>	<b>\$750</b>

Note: Data based on applying ASTM F1639-revised July 2008  
N/A = Data Not Available

**Updated 1/20/10**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Piper Products</b> (www.piperonline.net)	<b>Chef System</b>	<b>MG 102</b>	<b>Gas</b>	<b>45%</b>	<b>80,813</b>	<b>17.5</b>	<b>MG 061 MG 101 MG 201 MG 202</b>	<b>\$750</b>
<b>Rational</b> (www.rationalusa.com)	<b>SelfCooking Center</b>	<b>SCC 62G</b>	<b>Gas</b>	<b>50%</b>	<b>34,260</b>	<b>19.8</b>	<b>SCC 61G SCC 101G SCC 102G SCC 201G SCC 202G</b>	<b>\$750</b>
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Combitherm (with Boiler)</b>	<b>7-14ES</b>	<b>Electric</b>	<b>79%</b>	<b>2</b>	<b>17.8</b>	<b>6-10ES 10-10ES 10-20ES 12-18ES 12-20ES 20-20ES</b>	<b>\$1,000</b>
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Combitherm (Boiler-Free)</b>	<b>7-14ESI</b>	<b>Electric</b>	<b>82%</b>	<b>2</b>	<b>10.3</b>	<b>6-10ESI 10-10ESI 10-10ESI 10-18ESI 12-20ESI 20-20ESI</b>	<b>\$1,000</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BCX-14E</b>	<b>Electric</b>	<b>63%</b>	<b>6</b>	<b>3.6</b>	<b>-</b>	<b>\$1,000</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BX-14E</b>	<b>Electric</b>	<b>72%</b>	<b>3</b>	<b>1.7</b>	<b>-</b>	<b>\$1,000</b>

Note: Data based on applying ASTM F1639-revised July 2008  
N/A = Data Not Available

**Updated 1/20/10**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>BKI</b> (www.bkideas.com)	-	<b>1.06</b>	<b>Electric</b>	<b>70%</b>	<b>2</b>	<b>0.5</b>	<b>1.10 2.10 2.14</b>	<b>\$1,000</b>
<b>Cadco</b> (www.cadco-ltd.com)	-	<b>CAPO-603</b>	<b>Electric</b>	<b>70%</b>	<b>4</b>	<b>0.9</b>	-	<b>\$1,000</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm with Generator</b>	<b>OEB-6.20</b>	<b>Electric</b>	<b>69%</b>	<b>2</b>	<b>11.1</b>	<b>OEB-6.10 OEB-10.10 OEB-10.20 OEB-12.20 OEB-20.10 OEB-20.20</b>	<b>\$1,000</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm Boilerless</b>	<b>OES-6.20</b>	<b>Electric</b>	<b>61%</b>	<b>3</b>	<b>4.9</b>	<b>OES-6.10 OES-10.10 OES-10.20 OES-12.20 OES-20.10 OES-20.20</b>	<b>\$1,000</b>
<b>Eloma</b> (www.eloma.com)	<b>Genius</b>	<b>Genius 6-11</b>	<b>Electric</b>	<b>74%</b>	<b>5</b>	<b>9.8</b>	-	<b>\$1,000</b>
<b>Henny Penny</b> (www.hennypenny.com)	<b>ClassicCombi</b>	<b>ECC-61</b>	<b>Electric</b>	<b>82%</b>	<b>3</b>	<b>2.1</b>	<b>ECC-11 ECC-12 ECC-21 ECC-22 ECC-62</b>	<b>\$1,000</b>

Note: Data based on applying ASTM F1639-revised July 2008  
N/A = Data Not Available

**Updated 1/20/10**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Henny Penny</b> (www.hennypenny.com)	<b>SmartCombi</b>	<b>ESC-61</b>	<b>Electric</b>	<b>66%</b>	<b>3</b>	<b>1.8</b>	<b>ESC-11 ESC-12 ESC-21 ESC-22 ESC-62</b>	<b>\$1,000</b>
<b>Hobart</b> (www.hobartcorp.com)	-	<b>CE6HD</b>	<b>Electric</b>	<b>69%</b>	<b>6</b>	<b>3.6</b>	<b>CE10HD CE10FD CE20HD CE20FD</b>	<b>\$1,000</b>
<b>Piper Products</b> (www.piperonline.net)	<b>Chef System</b>	<b>HME 061</b>	<b>Electric</b>	<b>79%</b>	<b>3</b>	<b>3.8</b>	<b>HME072 HME101 HME102 HME142 HME201 HME202</b>	<b>\$1,000</b>
<b>Rational</b> (www.rationalusa.com)	<b>SelfCooking Center</b>	<b>SCC 62E</b>	<b>Electric</b>	<b>67%</b>	<b>N/A</b>	<b>11.7</b>	<b>SCC 61E SCC 101E SCC 102E SCC 201E SCC 202E</b>	<b>\$1,000</b>

Note: Data based on applying ASTM F1639-revised July 2008  
N/A = Data Not Available