

Updated 6/19/09

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency $\geq 40\%$ per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency $\geq 60\%$ per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Combitherm	ML7-14	Gas	54%	15,700	19.0	6-10ESG	\$750
							7-14GASML	
							7-14ESG	
							7-14ML	
							10-10ESG	
							10-20ESG	
							12-18ESG	
20-20ESG								
Blodgett (www.blodgett.com)	Blodgett	BCX-14G	Gas	40%	35,666	1.5	-	\$750
		BX-14G	Gas	51%	13,480	0.5		
Cleveland (www.clevelandrange.com)	Convotherm with Generator	OGB-6.20	Gas	67%	4,562	18.3	OGB-6.10	\$750
							OGB-10.10	
							OGB-10.20	
							OGB-12.20	
							OGB-20.10	
	OGB-20.20							
	Convotherm Boilerless	OGS-6.20	Gas	49%	10,530	18.3	OGS-6.10	
							OGS-10.10	
							OGS-10.20	
							OGS-12.20	
OGS-20.10								
OGS-20.20								
Electrolux (professional.electroluxusa.com)	Air-O-Steam	O 260148	Gas	45%	16,456	26.6	O 260095	\$750
							O 260096	
							O 260097	
							O 260098	
							O 260099	
							O 260149	
							O 260150	
							O 260151	
							O 260152	
Eloma (www.eloma.com)	Genius	T 611	Gas	50%	N/A	0.8	T 1011	\$750
							T 12-21	
							T 2011	
							T 2022	

Note: Data based on applying ASTM F1639-revised July 2008

*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

Updated 6/19/09

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency $\geq 40\%$ per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency $\geq 60\%$ per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Henny Penny (www.hennypenny.com)	ClassicCombi	GCC-61	Gas	56%	10,176	4.5	GCC-11	\$750
							GCC-12	
							GCC-21	
							GCC-22	
							GCC-62	
	SmartCombi	GSC-61	Gas	53%	12,285	5.7	GSC-11	
							GSC-12	
							GSC-21	
							GSC-22	
							GSC-62	
Lainox (www.lainox.com)	The Cube	MG 102	Gas	45%	80,813	17.5	MG 061	
							MG 101	
							MG 201	
							MG 202	
Piper Products (www.piperonline.net)	Chef System	MG 102	Gas	45%	80,813	17.5	MG 061	
							MG 101	
							MG 201	
							MG 202	
Rational (www.rationalusa.com)	SelfCooking Center	SCC 62G	Gas	50%	34,260	19.8	SCC 61G	
							SCC 101G	
							SCC 102G	
							SCC 201G	
							SCC 202G	

Note: Data based on applying ASTM F1639-revised July 2008

*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

Updated 6/19/09

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency $\geq 40\%$ per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency $\geq 60\%$ per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Combitherm	7-14ES	Electric	79%	2	17.8	6-10ES	
							10-10ES	
							10-20ES	
							12-18ES	
							12-20ES	
20-20ES								
BKI (www.bkideas.com)	-	1.06	Electric	70%	2.00	0.5	1.10	
							2.10	
							2.14	
Cadco (www.cadco-ltd.com)	-	CAPO-603	Electric	70%	3.70	0.9	-	
Cleveland (www.clevelandrange.com)	Convotherm with Generator	OEB-6.20	Electric	69%	1.90	11.1	OEB-6.10	\$1,000
							OEB-10.10	
							OEB-10.20	
							OEB-12.20	
							OEB-20.10	
	OEB-20.20							
	Convotherm Boilerless	OES-6.20	Electric	61%	2.90	4.9	OES-6.10	
							OES-10.10	
							OES-10.20	
							OES-12.20	
OES-20.10								
OES-20.20								
Eloma (www.eloma.com)	Genius	Genius 6-11	Electric	74%	4.60	9.8	-	
Henny Penny (www.hennypenny.com)	ClassicCombi	ECC-61	Electric	82%	3.10	2.1	ECC-11	
							ECC-12	
							ECC-21	
							ECC-22	
							ECC-62	
	SmartCombi	ESC-61	Electric	66%	3.10	1.8	ESC-11	
							ESC-12	
							ESC-21	
							ESC-22	
							ESC-62	

Note: Data based on applying ASTM F1639-revised July 2008

*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

Updated 6/19/09

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency $\geq 40\%$ per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency $\geq 60\%$ per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Hobart (www.hobartcorp.com)	-	CE6HD	Electric	69%	5.80	3.6	CE10HD	\$1,000
							CE10FD	
							CE20HD	
							CE20FD	
Rational (www.rationalusa.com)	SelfCooking Center	SCC 62E	Electric	67%	N/A	11.7	SCC 61E	\$1,000
							SCC 101E	
							SCC 102E	
							SCC 201E	
							SCC 202E	

Note: Data based on applying ASTM F1639-revised July 2008

*Type based on ASTM Standard Specification F1495

N/A = Data Not Available