

Qualified Fryers

Updated 5/11/2012

Qualifying gas fryer models must have a tested heavy load cooking energy efficiency $\geq 50\%$ and idle energy rate $\leq 9,000$ Btu/h utilizing ASTM Standard F1361. Qualifying electric fryer models must have a tested heavy load cooking energy efficiency $\geq 80\%$ and idle energy rate ≤ 1.0 kW utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Alto-Shaam	-	ASF-60G	Gas	66	4,072	82	\$500
Dean	Decathlon	HD*50G	Gas	52	8,386	72	\$500
Frymaster	LOV	BIGLA*30	Gas	56	4,382	68	\$500
Frymaster	-	BIH*55	Gas	55	5,604	69	\$500
Frymaster	-	BK*55C	Gas	55	5,604	69	\$500
Frymaster	-	BK*55RC	Gas	55	5,604	69	\$500
Frymaster	-	BK55C	Gas	55	5,604	69	\$500
Frymaster	-	BK55RC	Gas	55	5,604	69	\$500
Frymaster	-	BKFP*55C	Gas	55	5,604	69	\$500
Frymaster	-	BKFP*55RC	Gas	55	5,604	69	\$500
Frymaster	Protector™	FPGL*30	Gas	56	4,382	68	\$500
Frymaster	-	FPH50	Gas	50	6,400	57	\$500
Frymaster	-	H*55	Gas	55	5,604	69	\$500
Frymaster	-	H55	Gas	55	5,604	69	\$500
Frymaster	-	MJH*50	Gas	50	6,400	57	\$500
Frymaster	-	MPH*55	Gas	55	5,604	69	\$500
Frymaster	-	PMJH*50	Gas	50	6,400	57	\$500
Frymaster	-	YSCFH*14G	Gas	52	8,386	72	\$500
Giles Enterprises, Inc.	-	GGF-400	Gas	54	3,862	36	\$500
Henny Penny	Evolution Elite	EEG-14*	Gas	54	5,790	64	\$500
Henny Penny	-	LVG	Gas	54	5,790	64	\$500
Henny Penny	-	OFG-32*	Gas	50	7,040	62	\$500
Henny Penny	-	OGA-32*	Gas	50	7,040	62	\$500
Hobart	-	HK45	Gas	65%	4,636	78	\$500
Keating	Incredible Frying Machine	IFM 14	Gas	57	4,700	57	\$500
Paloma	-	PF-*S	Gas	62	3,420	62	\$500

Note: Data based on applying ASTM F-1361

N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.

Rebates are paid per qualifying vat for multi-vat configurations.

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Fryers

Updated 5/11/2012

Qualifying gas fryer models must have a tested heavy load cooking energy efficiency $\geq 50\%$ and idle energy rate $\leq 9,000$ Btu/h utilizing ASTM Standard F1361. Qualifying electric fryer models must have a tested heavy load cooking energy efficiency $\geq 80\%$ and idle energy rate ≤ 1.0 kW utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Pitco	-	BKSGH50SPC	Gas	54	8,510	67	\$500
Pitco	-	MGII	Gas	54	8,510	67	\$500
Pitco	-	SGC	Gas	50	4,899	55	\$500
Pitco	-	SGH50	Gas	54	8,510	67	\$500
Pitco	-	SSH55 SFSSH55 SSHF55	Gas	55	8,140	72	\$500
Pitco	-	SSH60 SFSSH60 SSHF60	Gas	58	8,705	76	\$500
Pitco	-	SSH60R SFSSH60R SSHF60R	Gas	52	8,446	74	\$500
Pitco	Frialator	VF35	Gas	50	7,349	59	\$500
Ultrafryer Systems	Par 3	C-P30-14	Gas	60	4,120	60	\$500
Ultrafryer Systems	Par 3	F-P30-14 B-P30-14	Gas	65	4,180	73	\$500
Ultrafryer Systems	Par 3	PDEX 1V 1-14	Gas	65	4,180	73	\$500
Vulcan		VK45	Gas	60	4,365	69	\$500
Frymaster	LOV	BIELA*14	Electric	86	0.79	68	\$200
Frymaster	-	BIRE*14	Electric	84	0.82	68	\$200
Frymaster	-	BK*17C	Electric	87	0.89	70	\$200
Frymaster	-	BK*17RC	Electric	87	0.89	70	\$200
Frymaster	-	BKFP*17C	Electric	87	0.89	70	\$200
Frymaster	-	BKFP*17RC	Electric	87	0.89	70	\$200
Frymaster	Protector™	FPEL*14	Electric	86	0.79	68	\$200
Frymaster	Protector™	FPEL*17	Electric	86	0.81	77	\$200

Note: Data based on applying ASTM F-1361

N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.

Rebates are paid per qualifying vat for multi-vat configurations.

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Fryers

Updated 5/11/2012

Qualifying gas fryer models must have a tested heavy load cooking energy efficiency $\geq 50\%$ and idle energy rate $\leq 9,000$ Btu/h utilizing ASTM Standard F1361. Qualifying electric fryer models must have a tested heavy load cooking energy efficiency $\geq 80\%$ and idle energy rate ≤ 1.0 kW utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Frymaster	Protector™	FPEL *22	Electric	87	0.81	83	\$200
Frymaster	-	H*14	Electric	81	0.97	68	\$200
Frymaster	-	H*17TC	Electric	84	0.77	72	\$200
Frymaster	-	RE*14	Electric	84	0.82	68	\$200
Frymaster	-	RE*17	Electric	87	0.89	70	\$200
Frymaster	-	RE*22	Electric	84	0.86	76	\$200
Giles Enterprises, Inc.	-	GBF-50	Electric	82	0.83	66	\$200
Giles Enterprises, Inc.	-	GEF-400	Electric	86	0.70	53	\$200
Henny Penny	Evolution Elite	EEE-14*	Electric	85	0.81	64	\$200
Henny Penny	-	LVE	Electric	85	0.81	64	\$200
Henny Penny	-	LVE Split Vat	Electric	81	0.92	N/A	\$200
Henny Penny	-	OEA-32* (14.4kW)	Electric	80	0.91	63	\$200
Henny Penny	-	OEA-32* (22kW)	Electric	83	0.75	69	\$200
Henny Penny	-	OFE-32* (14.4kW)	Electric	80	0.91	63	\$200
Henny Penny	-	OFE-32* (22kW)	Electric	83	0.75	69	\$200
Henny Penny	-	OFE-32* Split Vat	Electric	82	0.70	70	\$200
Hobart	-	HF50	Electric	85	0.63	72	\$200
Motion Technology, Inc.	AutoFry	MTI-10XL	Electric	83	0.96	34	\$200
Motion Technology, Inc.	AutoFry	MTI-40C	Electric	92	0.94	58	\$200
Motion Technology, Inc.	AutoFry	MTI-40E	Electric	92	0.94	58	\$200
Perfect Fry Company	RapidFry	PFA7200	Electric	86	0.59	35	\$200
Perfect Fry Company	-	PFC5700	Electric	81	0.53	29	\$200
Pitco	-	BKSEH50SPC	Electric	82	0.93	69	\$200
Pitco	-	MEII	Electric	82	0.93	69	\$200
Pitco	-	SE148					
		SEF148	Electric	85	0.99	77	\$200
		SFSE148					

Note: Data based on applying ASTM F-1361

N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.

Rebates are paid per qualifying vat for multi-vat configurations.

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Fryers

Updated 5/11/2012

Qualifying gas fryer models must have a tested heavy load cooking energy efficiency $\geq 50\%$ and idle energy rate $\leq 9,000$ Btu/h utilizing ASTM Standard F1361. Qualifying electric fryer models must have a tested heavy load cooking energy efficiency $\geq 80\%$ and idle energy rate ≤ 1.0 kW utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Pitco	-	SEH50	Electric	82	0.93	69	\$200
Vulcan	-	ER50	Electric	85	0.63	72	\$200

Note: Data based on applying ASTM F-1361

N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.

Rebates are paid per qualifying vat for multi-vat configurations.

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.