


Updated 7/8/10

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Alto-Shaam (www.alto-shaam.com)	-	ASF-60G	Gas	66	4,072	82	\$500
Dean (dean.enodis.com)	Decathlon	HD*50G	Gas	52	8,386	72	\$500
Frymaster (www.frymaster.com)	-	BIH*55	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	FPH50	Gas	50	6,400	57	\$500
Frymaster (www.frymaster.com)	-	BK55C	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BK55RC	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BK*55C	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BK*55RC	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BKFP*55C	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BKFP*55RC	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	Protector™	FPGL*30	Gas	56	4,382	68	\$500
Frymaster (www.frymaster.com)	LOV	BIGLA*30	Gas	56	4,382	68	\$500
Frymaster (www.frymaster.com)	-	H55	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	H*55	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	MJH*50	Gas	50	6,400	57	\$500
Frymaster (www.frymaster.com)	-	MPH*55	Gas	55	5,604	69	\$500


Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 7/8/10

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Frymaster (www.frymaster.com)	-	PMJH*50	Gas	50	6,400	57	\$500
Frymaster (www.frymaster.com)	-	YSCFH*14G	Gas	52	8,386	72	\$500
Henny Penny (www.hennypenny.com)	-	OFG-32*	Gas	50	7,040	62	\$500
Henny Penny (www.hennypenny.com)	-	OGA-32*	Gas	50	7,040	62	\$500
Henny Penny (www.hennypenny.com)	-	LVG	Gas	54	5,790	64	\$500
Henny Penny (www.hennypenny.com)	Evolution Elite	EEG-14*	Gas	54	5,790	64	\$500
Keating (www.keatingofchicago.com)	Incredible Frying Machine	IFM 14	Gas	57	4,700	57	\$500
Paloma (http://www.palomaindustries.com/pl/)	-	PF-*S	Gas	62	3,420	62	\$500
Pitco (www.pitco.com)	-	MGII	Gas	54	8,510	67	\$500
Pitco (www.pitco.com)	-	SGC	Gas	51	4,899	55	\$500
Pitco (www.pitco.com)	-	SGH50	Gas	54	8,510	67	\$500
Pitco (www.pitco.com)	-	BKSGH50SPC	Gas	54	8,510	67	\$500
Pitco (www.pitco.com)	-	SSH55 SFSSH55 SSHF55	Gas	55	8,140	72	\$500
Pitco (www.pitco.com)	-	SSH55R SFSSH55R SSHF55R	Gas	53	8,900	N/A	\$500


Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 7/8/10

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Pitco (www.pitco.com)	-	SSH60 SFSSH60 SSHF60	Gas	59	8,705	76	\$500
Pitco (www.pitco.com)	-	SSH60R SFSSH60R SSHF60R	Gas	52	8,446	74	\$500
Pitco (www.pitco.com)	Frialator	VF35	Gas	53	7,262	N/A	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 3	C-P30-14	Gas	60	4,120	60	\$500
Ultrafryer Systems (www.ultrafryer.com)	-	PD-14	Gas	N/A	N/A	N/A	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 3	F-P30-14 B-P30-14	Gas	65	4,180	73	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 3	PDEX 1V 1-14	Gas	65	4,180	73	\$500
Frymaster (www.frymaster.com)	LOV	BIELA*14	Electric	86	0.79	68	\$200
Frymaster (www.frymaster.com)	-	BIRE*14	Electric	84	0.82	69	\$200
Frymaster (www.frymaster.com)	-	BK*14TC	Electric	87	0.77	N/A	\$200
Frymaster (www.frymaster.com)		BK*14TRC	Electric	87	0.77	N/A	\$200
Frymaster (www.frymaster.com)	-	BKFP*14TC	Electric	87	0.77	N/A	\$200
Frymaster (www.frymaster.com)	-	BKFP*14TRC	Electric	87	0.77	N/A	\$200
Frymaster (www.frymaster.com)	-	BK*17C	Electric	87	0.89	70	\$200
Frymaster (www.frymaster.com)		BK*17RC	Electric	87	0.89	70	\$200


Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 7/8/10

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Frymaster (www.frymaster.com)	-	BKFP*17C	Electric	87	0.89	70	\$200
Frymaster (www.frymaster.com)	-	BKFP*17RC	Electric	87	0.89	70	\$200
Frymaster (www.frymaster.com)	Protector™	FPEL*14	Electric	86	0.79	68	\$200
Frymaster (www.frymaster.com)	Protector™	FPEL*17	Electric	86	0.81	77	\$200
Frymaster (www.frymaster.com)	Protector™	FPEL*22	Electric	87	0.81	83	\$200
Frymaster (www.frymaster.com)	-	H*14	Electric	81	0.97	68	\$200
Frymaster (www.frymaster.com)	-	H*17TC	Electric	84	0.77	72	\$200
Frymaster (www.frymaster.com)	-	RE*14	Electric	84	0.82	69	\$200
Frymaster (www.frymaster.com)	-	RE*14TC	Electric	87	0.77	N/A	\$200
Frymaster (www.frymaster.com)	-	RE*17	Electric	87	0.89	70	\$200
Frymaster (www.frymaster.com)	-	RE*17TC	Electric	87	0.77	N/A	\$200
Frymaster (www.frymaster.com)	-	RE*22	Electric	84	0.86	76	\$200
Frymaster (www.frymaster.com)	-	RE*22TC	Electric	87	0.77	N/A	\$200
Henny Penny (www.hennypenny.com)	-	LVE	Electric	85	0.81	64	\$200
Henny Penny (www.hennypenny.com)	-	LVE Split Vat	Electric	81	0.92	NA	\$200
Henny Penny (www.hennypenny.com)	Evolution Elite	EEE-14*	Electric	85	0.81	64	\$200


Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 7/8/10

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Henny Penny (www.hennypenny.com)	-	OEA-32* (14.4kW)	Electric	80	0.91	63	\$200
Henny Penny (www.hennypenny.com)	-	OEA-32* (22kW)	Electric	83	0.75	69	\$200
Henny Penny (www.hennypenny.com)	-	OFE-32* Split Vat	Electric	82	0.70	71	\$200
Henny Penny (www.hennypenny.com)	-	OFE-32* (14.4kW)	Electric	80	0.91	63	\$200
Henny Penny (www.hennypenny.com)	-	OFE-32* (22kW)	Electric	83	0.75	69	\$200
Hobart (www.hobartcorp.com)	-	HF50	Electric	85	0.63	72	\$200
Motion Technology, Inc. (www.autofry.com)	AutoFry	MTI-40C	Electric	92	0.94	58	\$200
Motion Technology, Inc. (www.autofry.com)	AutoFry	MTI-40E	Electric	92	0.94	58	\$200
Pitco (www.pitco.com)	-	MEII	Electric	82	0.93	69	\$200
Pitco (www.pitco.com)	-	SE14 SEF14 SFSE14	Electric	85	0.99	N/A	\$200
Pitco (www.pitco.com)	-	SE148 SEF148 SFSE148	Electric	85	0.99	77	\$200
Pitco (www.pitco.com)	-	SE148R SEF148R SFSE148R	Electric	84	0.89	N/A	\$200
Pitco (www.pitco.com)	-	SE148X SEF148X SFSE148X	Electric	82	0.99	N/A	\$200


Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 7/8/10

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Pitco (www.pitco.com)	-	SE14R SEF14R SFSE14R	Electric	84	0.81	N/A	\$200
Pitco (www.pitco.com)	-	SE14X SEF14X SFSE14X	Electric	86	0.89	N/A	\$200
Pitco (www.pitco.com)	-	BKSEH50SPC	Electric	82	0.93	69	\$200
Pitco (www.pitco.com)	-	SEH50	Electric	82	0.93	69	\$200
Perfect Fry Company (www.perfectfry.com)	RapidFry	PFA7200	Electric	86	0.59	35	\$200
Perfect Fry Company (www.perfectfry.com)	RapidFry	PFA5700	Electric		N/A		\$200
Perfect Fry Company (www.perfectfry.com)	RapidFry	PFA5708	Electric		N/A		\$200
Perfect Fry Company (www.perfectfry.com)	RapidFry	PFA3750	Electric		N/A		\$200
Perfect Fry Company (www.perfectfry.com)	-	PFC1875	Electric		N/A		\$200
Perfect Fry Company (www.perfectfry.com)	-	PFC3750	Electric		N/A		\$200
Perfect Fry Company (www.perfectfry.com)	-	PFC5700	Electric	81	0.53	29	\$200
Perfect Fry Company (www.perfectfry.com)	-	PFC5708	Electric		N/A		\$200
Ultrafryer Systems (www.ultrafryer.com)	-	F-E17-14	Electric	83	810	N/A	\$200
Vulcan (www.vulcanhart.com)	-	ER50	Electric	85	0.63	72	\$200

Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.