


Updated 7/8/10

Qualifying full-size gas convection oven models must have a tested heavy load cooking energy efficiency $\geq 44\%$ and idle rate $\leq 13,000$ Btu/h utilizing ASTM Standard F1496. Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle rate ≤ 1.6 kW utilizing ASTM Standard F1496. The half-size electric oven must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle rate ≤ 1.0 kW utilizing ASTM Standard F1496. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
Blodgett (www.blodgett.com)	-	DFG100	Gas	44%	12,160	84	DFG100 Double	\$500
Blodgett (www.blodgett.com)	-	DFG200	Gas	44%	12,280	99	DFG200 Double	\$500
Blodgett (www.blodgett.com)	-	SHO-G	Gas	44%	12,542	N/A	SHO-G Double	\$500
Blodgett (www.blodgett.com)	Zephaire-G	Zephaire-G	Gas	44%	12,283	N/A	Zephaire-G Double	\$500
Blodgett (www.blodgett.com)	Zephaire-240G Plus	Zephaire-240G Plus	Gas	44%	10,959	N/A	-	\$500
Duke Manufacturing (www.dukemfg.com)	613 Series	613-G1	Gas	54%	12,280	85	613-G2 613Q-G1 613Q-G2	\$500
Duke Manufacturing (www.dukemfg.com)	E Series	E101-G	Gas	55%	12,091	N/A	E102-G	\$500
Electrolux (professional.electroluxusa.com)	Air-O-Convect	62	Gas	51%	6,702	97	-	\$500
Hobart (www.hobartcorp.com)	DGC5 Series	DGC5	Gas	46%	11,850	80	DGC5	\$500
Hobart (www.hobartcorp.com)	HGC Series	HGC5	Gas	46%	11,850	80	HGC502	\$500
Moffat (www.moffat.com)	TurboFan	G32MS	Gas	47%	12,300	40	-	\$500
Montague (www.montaguecompany.com)	Vectaire HX	HX-63A	Gas	44%	12,900	71	HX2-63	\$500
Royal Range (www.royalranges.com)	-	RCOS-1	Gas	45%	12,540	N/A	RCOS-2	\$500
Southbend (www.southbendnc.com)	Bronze Series	BG-12	Gas	47%	12,145	N/A	BG-22	\$500
Southbend (www.southbendnc.com)	Marathoner Gold	GS-15	Gas	46%	12,145	N/A	GS-25	\$500

Note: Data based on applying ASTM F-1496
N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
Double-stacked ovens qualify for a double rebate.

Updated 7/8/10

Qualifying full-size gas convection oven models must have a tested heavy load cooking energy efficiency $\geq 44\%$ and idle rate $\leq 13,000$ Btu/h utilizing ASTM Standard F1496. Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle rate ≤ 1.6 kW utilizing ASTM Standard F1496. The half-size electric oven must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle rate ≤ 1.0 kW utilizing ASTM Standard F1496. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
Southbend (www.southbendnc.com)	Silver Star	SLGS-12	Gas	46%	12,145	N/A	SLGS-22	\$500
Vulcan (www.vulcanhart.com)	SG Series	SG4D	Gas	48%	11,360	89	SG44D	\$500
Vulcan (www.vulcanhart.com)	VC Series	VC4G	Gas	47%	11,850	80	VC44G VC4GD VC44GD	\$500
Vulcan (www.vulcanhart.com)	VC Series	VC6G	Gas	46%	11,097	90	VC66G VC6GD VC66GD	\$500
Wolf (www.wolfrange.com)	WKG Series	WKGD1	Gas	46%	11,850	80	WKGD2	\$500
Wolf (www.wolfrange.com)	WLGO Series	WLGO	Gas	46%	11,850	N/A	WLGO2	\$500
Alto-Shaam (www.alto-shaam.com)	Platinum Series	ASC-4E	Electric	72%	1.2	N/A	2-ASC-4E	\$350
Alto-Shaam (www.alto-shaam.com)	Platinum Series	ASC-2E	Electric	71%	0.8	N/A	-	\$350
Blodgett (www.blodgett.com)	Mark-V	MK111	Electric	71%	1.5	N/A	-	\$350
Blodgett (www.blodgett.com)	Xcel 50	XL-50E	Electric	74%	0.6	51	XCEL-50EC EXCEL-50EC	\$350
Blodgett (www.blodgett.com)	Zephaire-E	Zephaire E	Electric	71%	1.6	N/A	Zephaire E Double	\$350
Imperial (www.imperialrange.com)	-	ICVE	Electric	72%	1.6	85	ICVE-2	\$350

Note: Data based on applying ASTM F-1496
N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
Double-stacked ovens qualify for a double rebate.

Updated 7/8/10

Qualifying full-size gas convection oven models must have a tested heavy load cooking energy efficiency $\geq 44\%$ and idle rate $\leq 13,000$ Btu/h utilizing ASTM Standard F1496. Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle rate ≤ 1.6 kW utilizing ASTM Standard F1496. The half-size electric oven must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle rate ≤ 1.0 kW utilizing ASTM Standard F1496. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
Star Manufacturing (www.langworld.com)	ChefSeries	ECSF-ES	Electric	76%	1.6	96	OCEFS_1 OCEFS_2 ECSF-ES1 ECSF-ES2 ECSF-EZ	\$350
Star Manufacturing (www.langworld.com)	LANG	ECOH-AP	Electric	77%	1.0	N/A	ECOH-PP ECOH-PT ECOD-C	\$350
Star Manufacturing (www.langworld.com)	LANG	ECOD-AP	Electric	75%	1.5	N/A	ECOD-S ECOD-AT ECOD-PP ECOD-PT	\$350
Star Manufacturing (www.langworld.com)	LANG	ECOF-AT	Electric	74%	1.5	N/A	ECOF-C ECOF-S ECOF-PP ECOF-PT	\$350
Moffat (www.moffat.com)	TurboFan	E32MS	Electric	80%	0.8	77	E32MS/2	\$350
Moffat (www.moffat.com)	TurboFan	E35MS	Electric	70%	1.6	101	E35MS/2	\$350
Southbend (www.southbendnc.com)	Marathoner Gold	ES/10	Electric	82%	1.2	N/A	ES/20	\$350
Southbend (www.southbendnc.com)	Silver Star	SLES/10	Electric	80%	1.2	N/A	SLES/20	\$350

Note: Data based on applying ASTM F-1496
N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
Double-stacked ovens qualify for a double rebate.