

Qualified Convection Ovens

Updated 5/11/2012

Qualifying full-size gas convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 44\%$ and idle energy rate $\leq 13,000$ Btu/h utilizing ASTM Standard F1496.
 Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle energy rate ≤ 1.6 kW utilizing ASTM Standard F1496.
 Qualifying half-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle energy rate ≤ 1.0 kW utilizing ASTM Standard F1496.
 Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
American Range	-	M-1	Gas	44%	10,842	101	M-1GL M-1GR M-2 M-2GL M-2GR	\$500
American Range	-	MSD	Gas	44%	10,546	85	-	\$500
Blodgett	-	DFG100	Gas	44%	12,160	84	DFG100 Double	\$500
Blodgett	-	DFG200	Gas	44%	12,280	99	DFG200 Double	\$500
Blodgett	-	SHO-G	Gas	44%	10,000	86	-	\$500
Blodgett	-	Zephaire 240G	Gas	44%	12,000	78	Zephaire 240G Plus	\$500
Blodgett	-	Zephaire G	Gas	44%	12,300	86	Zephaire G Plus	\$500
Duke Manufacturing	613 Series	613-G1	Gas	54%	12,280	85	613-G2 613Q-G1 613Q-G2	\$500
Garland	-	MCO-GS-10 ESS	Gas	44%	11,600	90	-	\$500
Hobart	DGC5 Series	DGC5	Gas	46%	11,850	80	DGC5	\$500
Hobart	HGC Series	HGC5	Gas	46%	11,850	80	HGC502	\$500
Imperial	-	ICVG-1	Gas	44%	11,400	82	ICVG-2	\$500
Jade	-	JCO-240	Gas	44%	12,160	84	JCO-240 Double	\$500
Moffat	TurboFan	G32MS	Gas	47%	12,300	40	-	\$500
Montague	Vectaire HX	HX-63A	Gas	44%	12,900	71	HX2-63	\$500
Royal Range	-	RCOS-1	Gas	45%	12,540	89	RCOS-2	\$500
Vulcan	SG Series	SG4D	Gas	48%	11,360	89	SG44D	\$500
Vulcan	VC Series	VC4G	Gas	46%	11,850	80	VC44G VC4GD VC44GD	\$500

Note: Data based on applying ASTM F-1496

N/A = Data Not Available

*Rebate amount is calculated per oven cavity.

Double-stacked ovens qualify for a double rebate.

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Convection Ovens

Updated 5/11/2012

Qualifying full-size gas convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 44\%$ and idle energy rate $\leq 13,000$ Btu/h utilizing ASTM Standard F1496.
 Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle energy rate ≤ 1.6 kW utilizing ASTM Standard F1496.
 Qualifying half-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle energy rate ≤ 1.0 kW utilizing ASTM Standard F1496.
 Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
Vulcan	VC Series	VC6G	Gas	46%	11,097	90	VC66G VC6GD VC66GD	\$500
Wolf	WKG Series	WKGD1	Gas	46%	11,850	80	WKGD2	\$500
APW Wyott	-	BCO-E	Electric	72%	1.46	71.5	GDCO-E	\$350
Bakers Pride	-	BCO-E	Electric	72%	1.46	71.5	GDCO-E	\$350
BKI	-	COM-E	Electric	72%	1.46	71.5	COB-E	\$350
Blodgett	CTB	CTB	Electric	72%	1.01	52	CTB/R	\$350
Blodgett	HydroVection	HV-100E	Electric	70%	1.45	92.7	-	\$350
Blodgett	-	Mark-V	Electric	74%	1.46	98.6	MK111	\$350
Blodgett	-	SHO-E	Electric	73%	1.60	90.0	-	\$350
Blodgett	Xcel 50	XL-50E	Electric	74%	0.63	51	XCEL-50EC EXCEL-50EC	\$350
Blodgett	-	Zephaire 240E	Electric	75%	1.44	101.	Zephaire 240E Plus	\$350
Blodgett	-	Zephaire E	Electric	71%	1.57	87.0	Zephaire E Plus	\$350
CPG	-	CPG-DCO-E	Electric	72%	1.46	71.5	-	\$350
Imperial	-	ICVE	Electric	72%	1.56	85	ICVE-2	\$350
Moffat	TurboFan	E32D	Electric	78%	0.98	82	E32D*/2	\$350
Moffat	TurboFan	E32MS	Electric	80%	0.80	77	E32MS/2	\$350
Moffat	TurboFan	E35MS	Electric	70%	1.55	101	E35MS/2	\$350
NDG	-	NDG-DCO-E	Electric	72%	1.46	71.5	-	\$350
Revent	-	7802	Electric	75%	1.10	76	-	\$350
Short Order	-	SO-DCO-E	Electric	72%	1.46	71.5	-	\$350
Southbend	Silver Star	SLES/10	Electric	80%	1.20	N/A	SLES/20	\$350

Note: Data based on applying ASTM F-1496

N/A = Data Not Available

*Rebate amount is calculated per oven cavity.

Double-stacked ovens qualify for a double rebate.

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Convection Ovens

Updated 5/11/2012

Qualifying full-size gas convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 44\%$ and idle energy rate $\leq 13,000$ Btu/h utilizing ASTM Standard F1496.
 Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle energy rate ≤ 1.6 kW utilizing ASTM Standard F1496.
 Qualifying half-size electric convection oven models must have a tested heavy load potato cooking energy efficiency $\geq 70\%$ and idle energy rate ≤ 1.0 kW utilizing ASTM Standard F1496.
 Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
Star Manufacturing	LANG	ECOF-AP	Electric	70%	1.36	85	ECOF-C ECOF-S ECOF-PP ECOF-PT	\$350
Star Manufacturing	ChefSeries	ECSF-ES	Electric	76%	1.60	96	OCEFS_1 OCEFS_2 ECSF-ES1 ECSF-ES2 ECSF-EZ	\$350
Tri-Star	-	TSCO-E	Electric	72%	1.46	71.5	-	\$350

Note: Data based on applying ASTM F-1496
 N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
 Double-stacked ovens qualify for a double rebate.

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com
 NOTE: List subject to change without notice. Please check the FSTC website for latest version.